



CLARIMEX VG

TECHNICAL DATA SHEET

GRANULAR ACTIVATED CARBON

Granular activated carbon, of vegetable origin, manufactured from wood and activated with phosphoric acid.

Due to its high adsorption capacity, CLARIMEX VG carbon is an ideal product for application in water dechlorination, removal of toxic products, pesticides and herbicides, as well as in some applications in the gas phase.

PARAMETER	SPECIFICATIONS	TYPICAL PROPERTIES
Moisture, as packed, %	12 max.	
Molasses Decolorization	195 min.	
Methylene blue adsorption g MB/100 g	22 min.	
Iodine number, mg I ₂ /g	800 min.	0.23
Apparent density. g/cc		
MESH SIZE		
4 X 10	Retained 4 mesh, % Passing 10 mesh, %	5 max. 2.5 max.
6 X 20	Retained 6 mesh, % Passing 20 mesh, %	5 max. 2.5 max.
10 x 30	Retained 10 mesh, % Passing 30 mesh, %	5 max. 2.5 max.
12 x 20	Retained 12 mesh, % Passing 20 mesh, %	5 max. 2.5 max.
14 X 35	Retained 14 mesh, % Passing 35 mesh, %	5 max. 2.5 max.

EPT-01 G
V10 05-24

GRANULAR ACTIVATED CARBON - CLARIMEX VG